MEDICATION SECTION PRALIDOXIME

Initial Date: 07/19/2023

Revised Date:

Pralidoxime

Pharmacological Category: Cholinesterase reactivator

Routes: IV/IM

Indications:

1. Exposure to organophosphate or nerve agents

Expected effects:

1. Decrease in symptoms

Side effects:

- 1. Blurred vision
- 2. Headache
- 3. Dizziness
- 4. Nausea

Notes:

- 1. This medication may be part of a Nerve Agent (NA) Antidote kit.
- 2. When not part of an NA kit, 600 mg pralidoxime (along with 2 mg Atropine) will be administered in place of each NA kit that was to be administered.

Dosing: NERVE AGENT/ORGANOPHOSPHATE PESTICED ESPOSURE

Indication: Symptomatic nerve agent or organophosphate pesticide exposure when a NA Antidote Kt is not available.

Adults and Pediatrics administer:

1. Pralidoxime 600 mg IV/IM for every one (1) NA Kit as required on Chart below.

MEDICATION SECTION PRALIDOXIME

Initial Date: 07/19/2023

Revised Date:

| | Clinical Findings | Signs/Symptoms | Required Conditions | NA Kits To Be Delivered |
|--------------------------------|-----------------------------------|--|---|--|
| SELF-RESCUE | Threshold Symptoms | Dim vision Increased tearing Runny nose Nausea/vomiting Abdominal cramps Shortness of breath | Threshold Symptoms -and- Positive evidence of nerve agent or OPP on site Medical Control Order | 1 NA Kit (self-rescue) |
| ADULT PATIENT > 8 years of age | Mild Symptoms and Signs | Increased tearing Increased salivation Dim Vision Runny nose Sweating Nausea/vomiting Abdominal cramps Diarrhea | Medical Control Order | 1 NA Kit |
| | Moderate Symptoms and Signs | Constricted pupilsDifficulty breathingSevere vomiting | Constricted Pupils | 2 NA Kits |
| | Severe Signs | Constricted pupils Unconsciousness Seizures Severe difficulty breathing | Constricted Pupils | 3 NA Kits (If 3 NA Kits are used, administer 1st dose of available benzodiazepine) |

MEDICATION SECTION PRALIDOXIME

Initial Date: 07/19/2023

Revised Date:

| RIC < 8 years of age | Pediatric Patient with Non-Severe Signs/ Symptoms | Mild or moderate symptoms as above | Threshold Symptoms -and- Positive evidence of nerve agent or OPP on site Medical Control Order | 1 NA Kit |
|----------------------|---|--|---|----------|
| PEDIATRI | Pediatric Patient with Severe Signs/ Symptoms | Constricted pupils Unconsciousness Seizures Severe difficulty breathing | Severe breathing difficulty Weakness | 1 NA Kit |

Used in the Following Protocols

Nerve Agent/Organophosphate Pesticide Exposure (Section 10 Special Operations)