

Michigan COMMUNITY INTEGRATED PARAMEDICINE Procedure Protocol

POINT OF CARE TESTING FOR BLOOD ANALYSIS

Initial Date: October 23, 2020

Revised Date: Section 11-34

This protocol is for trained CIP Paramedics only. If during assessment, procedure, or treatment the patient is found to have a medical emergency in need of hospital treatment, the CIP visit will be suspended, and local MCA protocols utilized.

Purpose: Provide guidelines for CIP paramedics to perform advanced point of care testing at patient's side with a CLIA waived device that performs blood analysis. This protocol was designed around the use of the Abbot i-STAT system and Piccolo Xpress system. Always follow manufacturer instructions.

Aliases: Handheld blood analyzer, portable clinical analyzer, i-STAT, Piccolo

- I. Indications
 - a. Physician's order
 - b. CIP Patients who require point of care testing to guide treatment.
- II. Contraindications
 - a. Not CLIA waived
- III. Equipment
 - a. CLIA waived point of care testing device with appropriate CLIA waived cartridges for testing.
 - b. Appropriate equipment for specific device.
- IV. Procedure
 - a. Obtain appropriate blood sample.
 - b. Follow device's instructions for use.
- V. Documentation see CIP Documentation protocol
 - a. Additionally: cartridges utilized and test results

MCA Name: St. Clair Co. MCA MCA Board Approval Date: 11/15/23 MCA Implementation Date: 03/01/24

Protocol Source/References: Click here to enter text.